



Safety Data Sheet

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 1 of 7

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

810.000 Renia - ProtoColle =S= Super Glue

Use of the substance/preparation

adhesives

Company/undertaking identification

Company name:	Renia - GmbH	
	Chemische Fabrik	
Street:	Ostmerheimer Straße 516	
Place:	D-51109 Köln	
Post-office box:	910 659	
	D-51076 Köln	
Telephone:	+49-(0)221-630799-0	Telefax: +49-(0)221-630799-50
e-mail:	info@renia.com	
Contact person:	Herr Dr. Julian Grimme	Telephone: 17
Internet:	www.renia.com	
Responsible Department:	F & E, Labor	
Emergency telephone:	+49-(0)221-63079924	

2. Hazards identification

Classification

Indications of danger : Irritant

R-phrases:

Irritating to eyes, respiratory system and skin.

GHS:

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

Explication of special hazards for human health and environment

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

3. Composition/information on ingredients

Chemical characterization (substance)

adhesive based on cyanacrylacid-ethylester



Safety Data Sheet

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 2 of 7

Hazardous components

EC-No.	Chemical name	Quantity
CAS-No.	Classification	
REACH-No.	GHS classification	
230-391-5	ethyl 2-cyanoacrylate	95-100 %
7085-85-0	Xi R36/37/38	
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315	
204-617-8	1,4-dihydroxybenzene; hydroquinone; quinol	0,1-0,5 %
123-31-9	Carc. Cat. 3, Muta. Cat. 3, Xn, Xi, N R40-68-22-41-43-50	
	Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H351 H341 H302 H318 H317 H400	

Full text of R- and H-phrases: see section 16.

4. First aid measures

After inhalation

Move to fresh air in case of accidental inhalation of vapours. Consult a physician.

After contact with skin

Take off all contaminated clothing immediately. Rinse with water. Clean with soap and pumice.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Verband mit steriler Gaze anlegen. Consult a physician.

After ingestion

Do not induce vomiting. Call a physician immediately.

5. Fire-fighting measures

Suitable extinguishing media

carbon dioxide (CO₂) dry chemical foam water spray

Extinguishing media which must not be used for safety reasons

high volume water jet

6. Accidental release measures

Personal precautions

Remove all sources of ignition. When using do not smoke. Ensure adequate ventilation.

Environmental precautions

Do not let product enter drains.

Methods for cleaning up/taking up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Dispose of as special waste in compliance with local and national regulations

7. Handling and storage

Handling

Advice on safe handling

Use only in well-ventilated areas. Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static

Safety Data Sheet

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 3 of 7

discharges. In use, may form flammable/explosive vapour-air mixture.

Storage

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep away from heat. Protect against freezing. Keep container tightly closed in a dry and well-ventilated place. Keep away from direct sunlight.

8. Exposure controls/personal protection

Exposure limit values

Exposure limits (EH40)

CAS-No.	Chemical name	ml/m ³	mg/m ³	F/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	-	-	-	TWA (8 h)	WEL
		0.3	1.5	-	STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5	-	TWA (8 h)	WEL
		-	-	-	STEL (15 min)	WEL

Exposure controls



Protective and hygiene measures

When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment. (gas filter type A2)

Hand protection

 solvent-resistant gloves: nitrile rubber,
butyl-rubber, fluoric rubber
Test suitability of gloves before use.

Eye protection

safety glasses

9. Physical and chemical properties

General information

Physical state:	liquid
Colour:	colourless clear
Odour:	ester-like, stinging

Important health, safety and environmental information

pH-Value:

4,6 - 5,6

Test method

**Safety Data Sheet**

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 4 of 7

Changes in the physical state

Melting point:	-30 °C
Boiling point:	2,7mbar: 54 - 56 °C DIN 53 171
Flash point:	83 °C DIN 51 755
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	155 °C DIN 51 794
Vapour pressure: (at 20 °C)	< 1 hPa DIN EN 12
Density (at 20 °C):	1.04 g/cm ³ DIN 51 757
Water solubility:	insoluble, polymerisiert
Viscosity / dynamic: (at 20 °C)	40 - 70 mPa·s DIN 53018
Solvent content:	0 %

Other information**10. Stability and reactivity****Conditions to avoid**

Thermal decomposition can take place above 265°C.

Materials to avoid

bases, water

Hazardous decomposition products

No decomposition if used as directed.

11. Toxicological information**Acute toxicity**

Health injuries are not known or expected under normal use.

Specific effects in experiment on an animal

no data available No data is available on the product itself.

Corrosive and irritant effects

Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons. May cause skin and eye irritation in susceptible persons.

Sensitising effects

May cause sensitization of susceptible persons by inhalation of aerosol or dust.

Severe effects after repeated or prolonged exposure

No data is available on the product itself.

Carcinogenic/mutagenic/toxic effects for reproduction

No data is available on the product itself.

12. Ecological information**Ecotoxicity**Acute fish toxicity =
LC50/48h/golden orfe = 100 mg/l**Mobility**

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 5 of 7

Persistence and degradability

Biological degradability 0 %.

Bioaccumulative potential

No data is available on the product itself.

Further information

Do not let product enter drains.

13. Disposal considerations

Advice on disposal

Dispose of as special waste in compliance with local and national regulations

Contaminated packaging

Inhalt mit Wasser oder Alkali vorsichtig polymerisieren.

Offer rinsed packaging material to local recycling facilities. Recycling of packaging materials (dual system).

14. Transport information

Land transport (ADR/RID)**Description of the goods**

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

Inland waterways transport**Description of the goods**

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

Marine transport**Description of the goods**

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

Air transport**Description of the goods**

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

15. Regulatory information

Labelling

Danger symbols:

Xi - Irritant



Xi - Irritant

R phrases

36/37/38 Irritating to eyes, respiratory system and skin.

S phrases

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

24/25 Avoid contact with skin and eyes.

Special labelling for certain preparations

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Additional advice on labelling

According to (National equivalent of EC-Dir. 67/548), as amended, the product is labelled as follows: The

Safety Data Sheet

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 6 of 7

product is classified and labelled in accordance with Directive 1999/45/EC.

GHS labelling

Signal word:

Warning

Pictograms:

exclamation mark



Hazard statements

- | | |
|------|-----------------------------------|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

Precautionary statements

- | | |
|----------------|--|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P264 | Wash ... thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P321 | Specific treatment (see ... on this label). |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P304+P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to |

Special labelling for certain preparations

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

EU regulatory information

1999/13/EC (VOC): 0 % (991,12 g/l)

Additional information

Observe employment restrictions under the law for the protection of young people at work (94/33/EC).
Observe employment restrictions under the Maternity Protection Directive (EC 92/85/EEC) for expectant or nursing mothers.

National regulatory information

Water contaminating class (D): - - not water contaminating

16. Other information

Full text of R-phrases referred to under sections 2 and 3

- | | |
|----------|--|
| 22 | Harmful if swallowed. |
| 36/37/38 | Irritating to eyes, respiratory system and skin. |

**Safety Data Sheet**

according to Regulation (EU) No. 1907/2006

810.000 Renia - ProtoColle =S= Super Glue

Print date: 30.05.2010

Product code: 810

Page 7 of 7

- | | |
|----|--|
| 40 | Limited evidence of a carcinogenic effect. |
| 41 | Risk of serious damage to eyes. |
| 43 | May cause sensitization by skin contact. |
| 50 | Very toxic to aquatic organisms. |
| 68 | Possible risks of irreversible effects. |

Full text of H-Statements referred to under sections 2 and 3

- | | |
|------|---------------------------------------|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.